

Spend your days your way

Home Haemodialysis

Most people who perform home haemodialysis extend their treatment time per week. This can be done by performing their therapy more frequently on 4–7 days a week and/or performing their treatment overnight.

More frequent haemodialysis is associated with:



Less stress on your heart¹



Better blood pressure control with fewer medications²



Improved appetite³

Feeling of Flexibility

The flexibility home haemodialysis enables, gives you the freedom to spend more time being you. Whether your passion is fishing or travelling, more frequent haemodialysis gives you flexibility to live your life better!

More frequent haemodialysis is associated with:



More energy^{4,5}



Quicker recovery time after treatment⁶



Flexibility to take control of your life^{9,10}

Feeling of Control

Kidney failure is a serious health challenge. Frequent home is associated with improved survival. Overnight has been associated with comparable survival than deceased donor kidney transplantation.^{7,8}

Frequent Home HD provides you the opportunity to celebrate more of what life can offer!



Talk to your physician

Talk to your physician today to see if home haemodialysis during the day or overnight is right for you. Together, you can choose a system that works best for your lifestyle and individual treatment requirements.



With home haemodialysis

Fresenius Medical Care offers flexible therapy options including performing your treatments during the day or at night while you sleep allowing you to spend your day your way!



References

1. Culleton BF, Walsh M, Klarenbach SW, et al. Effect of frequent nocturnal hemodialysis vs conventional hemodialysis on left ventricular mass and quality of life. *JAMA*. September 2007;298(11):1291-1299.
2. FHN Trial Group. In-center hemodialysis six times per week versus three times per week. *N Engl J Med*. 2010;363(24):2287-2300.
3. Spanner E, Suri R, Heidenheim AP, Lindsay RM. The impact of quotidian hemodialysis on nutrition. *Am J Kidney Dis*. 2003;42(1 suppl):30-35.
4. Finkelstein FO. At-home short daily hemodialysis improves the long-term health-related quality of life. *Kidney Int*. 2012 Sep;82(5):561-9. doi: 10.1038/ki.2012.168.
5. Ting GO, Kjellstrand C, Freitas T, Carrie BJ, Zarghamee S. Long-term study of high-comorbidity ESRD patients converted from conventional to short daily hemodialysis. *Am J Kidney Dis*. 2003;42(5):1020-1035.
6. Jaber BL, Lee Y, Collins AJ, et al. Effect of daily hemodialysis on depressive symptoms and postdialysis recovery time: interim report from the FREEDOM (Following Rehabilitation, Economics and Everyday-Dialysis Outcome Measurements) Study. *Am J Kidney Dis*. 2010;56(3):531-539.
7. Pauly RP, Gill JS, Rose CL, Asad RA, Chery A, Pierratos A, Chan CT. Survival among nocturnal home haemodialysis patients compared to kidney transplant recipients. *Nephrol Dial Transplant*. 2009;24:2915-2919.
8. Weinhandl ED, Lie J, Gilbertson DT, Arneson TJ, Collins AJ. Survival in daily home hemodialysis and matched thrice-weekly in-center hemodialysis patients. *J Am Soc Nephrol*. 2012;23(5):895-904.
9. Walker R. et al. Home hemodialysis: a comprehensive review of patient-centered and economic considerations. *ClinicoEconomics and Outcomes Research* 9: 149-161, 2017.
10. Walker R. et al. Patient and Caregiver Perspectives on Home Hemodialysis: A Systematic Review. *Am J Kidney Dis* 65: 451-463, 2015.